

# Specifications



**Evoke 50**



**Evoke 30**



**Evoke 20**



**Evoke 10**

Status:

Current

Current

Current

Current

Segment:

Home

Home

Home

Home

Range:

Evoke

Evoke

Evoke

Evoke

Type:

Floorstand

Floorstand

Bookshelf

Bookshelf

	DESCRIPTION	IMAGES	FEATURES	SPECIFICATIONS	FIND A DEALER	MAGAZINE
Lower Cutoff (Hz @ +/- 3 dB):	35			40	40	47
Upper Cutoff (kHz @ +/- 3 dB):	23			23	23	23
Box Principle:	Bass reflex rear ported			Bass reflex rear ported	Bass reflex rear ported	Bass reflex rear ported
Crossover:	3-way			2.5-way	2-way	2-way
Crossover Frequency (Hz):	430/3500 Hz			(1200)/2300 Hz	3200 Hz	1400 Hz
Crossover Topology:	3rd/2nd order			2nd order	2nd order	2nd order
Tweeter:	28mm Cerotar soft dome with Hexis			28mm Cerotar soft dome with Hexis	28mm Cerotar soft dome with Hexis	28mm Cerotar soft dome v Hexis
Midrange:	15 cm MSP					
Midrange/Woofer:				14 cm MSP	18 cm MSP	14 cm MSP
Woofer:	2x 18 cm MSP			14 cm MSP		
Weight kg:	26,9			15,5	9,9	6,7
Weight lbs:	59 2/8			34 1/8	21 7/8	14 6/8
Width mm:	215			180	215	180
Height mm:	1140			900	380	315
Depth mm :	307			267	307	266
Width inches:	8 4/8			7 1/8	8 4/8	7 1/8
Height inches:	44 7/8			35 3/8	15	12 3/8
Depth inches:	12 1/8			10 4/8	12 1/8	10 4/8
Width mm incl. feet/grill:	305			268	215	180

	DESCRIPTION	IMAGES	FEATURES	SPECIFICATIONS	FIND A DEALER	MAGAZINE
Depth mm incl. feet/grill:	373			342	317	277
Width inches incl. feet/grill:	12			10 4/8	8 4/8	7 1/8
Height inches incl. feet/grill:	45 6/8			36 2/8	15	12 3/8
Depth inches incl. feet/grill:	14 5/8			13 4/8	12 4/8	10 7/8
Packaged Width mm:	1324			1074	620	554
Packaged Height mm:	459			418	528	463
Packaged Depth mm:	352			317	436	396
Packaged weight kg:	33			20,6	23,7	16,8
Speakers per packaged box:	1			1	2	2
Grille:	Black			Black	Black	Black
Baffle:						